

MERIDIAN



2012 Bulk Seed Tender Catalog Seed Express Models 275 & 375




EXPERIENCES THE ADVANTAGES

OF MERIDIAN BUILT STORAGE SOLUTIONS

www.meridianmfg.com



Self Fill Conveyor



Optional - Scale Package
with "Auto Convey" Feature



Telescoping Arm



Self-Filling Conveyor



Variable Speed Remote Control
with Display



Meridian Cleaned Belt

Meridian Bulk Seed Tenders™

2012 Seed Express Models - 275 and 375

Features, Benefits and Value Advantages

FEATURES	BENEFITS	VALUE ADVANTAGE
Meridian Cleated Belt	Increase unloading capacity from current cleated belts.	Reduced fill times are critical to maximized planted acres/hour.
Uni-Body Design	Design and engineered stronger, with a state of the art frame making the Meridian tender easier to pull.	Meridian's stronger tender helps ensure many years of service and higher resale values. As growers use their tenders and haul them further distances.
Self-Filling Conveyor	Self-filling enables operator to quickly load and unload when requiring additional stand alone conveyance.	Safer, easier and quicker. The Meridian 2012 Bulk Seed Tender is now a self contained unit, not requiring additional conveyor source. Customers can now fill their tender from a seed box, mini-tote or any other bulk seed source if needed.
Variable Speed Remote Control	Adjust belt speed with remote control rather than reducing engine speed. All XL Hydraulic Package Functions are operated hydraulically by the remote control.	Safely and quickly adjust conveyor belt speed from the convenience of a handheld remote versus climbing on and off equipment to throttle down the engine.
Optional - XL Scale Kit	Scale kit enhancements integrated into the remote transmitter and control box allows for complete control while unloading of gates and weights by simply keying in a desired unload weight.	All the same features of the standard scale unit plus some WOW feature. Operator keys in the exact weight required. Control Box operates the gate and cleans off the conveyor, unloading the exact units required.
Auto Convey™ (Optional Scale Package Required)	Meridian's exclusive Auto Convey™ functions are pre-programmed functions into the Meridian XL Scale Kit.	The tender operator can select the exact amount of seed they require to unload and "Auto Convey" will unload the seed, including cleaning off the conveyor belt.
Telescoping Arm	Adjustable reaching arm makes it easy to assist the conveyor into fill position and back to the transport position.	Allows for easier positioning and operation of the conveyor for filling transporting.
Independent Support Structure	Quick and easy conversion to scale package.	Customers save time and expense when they choose to equip their tender with a scale kit.
Bolt-on Hitches	Dealers can ship 3 tenders/load saving over 30% on freight. Customers can choose their preferred hitch design without changing trailers.	Saves customers time and money and allows them to match the tender hitch to their existing equipment.
Quick Connect Conveyors Optional 8" Conveyor on 275 Standard 8" Conveyor on 375	Conveyors are quickly and easily positioned and fastened to the tender.	Customers may not care how quickly the conveyor connects, but they'll be very impressed with the unload speed. 6" conveyor = 750 #/m and better. 8" conveyor = 1500 #/m and better.

MERIDIAN MANUFACTURING GROUP

is North America's leading manufacturer of bulk storage for the Agricultural, Industrial and the Oil & Gas Industry. Experience all the advantages of Meridian Built Storage.

OTHER TENDER MODELS AVAILABLE

110 BST



220 BST



240 RT



Titan 2




Titan 2 SE



Titan 4 SE



600 RT



AGRICULTURAL



INDUSTRIAL



OIL & GAS

Camrose Office

4292 - 38 St.
Camrose, AB T4V 4B2
PH: 780.672.4516
TF: 800.830.2467
FX: 780.672.4759

Lethbridge Office

3125 - 24 Ave. N.
Lethbridge, AB T1H 5G2
PH: 403.320.7070
TF: 800.661.1436
FX: 403.320.7579

Storm Lake Office

2902 Expansion Blvd.
Storm Lake, IA 50588
PH: 712.732.1780
TF: 800.437.2334
FX: 712.732.1028

Winkler Office

Box 760, 275 Hespeler Ave.
Winkler, MB R6W 4A8
PH: 204.325.7883
TF: 800.665.7259
FX: 204.325.5556



www.meridianmfg.com